



Hand protection

# TERK500 XTREM HEAT

THERMAL SPECIFIC WORKS

Level E cut-resistant reinforced thermal glove, ideal for extreme heat environments



## Specific benefits

### Performance

· The high-performance HEATnocut fiber provides resistance to contact heat (500°C for 15 seconds)

## Applications

- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Pharmaceutical industry / Laboratories
- Automotive

## Certifications and norms



EN 407  
4 4 4 2 4 X

## Protects against risks



Heat



Cutting



*enjoy safety.*

Edit 12/11/2023  
[www.deltaplus.eu](http://www.deltaplus.eu)



Hand protection

# TERK500 XTREM HEAT

THERMAL SPECIFIC WORKS

Level E cut-resistant reinforced thermal glove, ideal for extreme heat environments

## Standards - Details



### EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE  
5 [0-5] CUT RESISTANCE  
4 [0-4] TEAR RESISTANCE  
4 [0-4] PIERCE RESISTANCE  
E [A-F] CUT RESISTANCE ISO 13997

## Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn textile palm / textile back
Mechanical glove kind	Cut and sewn
Arm level protection	Forearm cuff (< 400mm)
Cuff characteristic	Leather cuff
Cuff length	160 mm
Color	Yellow
Size	Unique
Type of packaging	Pack of 6



Safety gloves

# TERK500 XTREM HEAT

THERMAL SPECIFIC WORKS

Level E cut-resistant reinforced thermal glove, ideal for extreme heat environments

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
TERK500	Yellow	One size	TERK500 XTREM HEAT	3295249228668	13295249228665	36	1	15.8 kg