



JET3 S3 SRC

CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Hygiene

- Removable insock for easy cleaning



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345

S3 WRU FO A E SRC

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance

Protects against risks



Antistatic



Shock



Slip



Perforation



JET3 S3 SRC

CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Foot protection

Standards - Details

Technical details

Shoe type	Low shoe
Anti-perforation insert	Stainless steel
Safety toe-cap	Stainless steel
Lining material	Textile, Mesh polyamid
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole material	PU multi
Outsole finition	Injected
Size	36-48
Weight	570 g per shoe



JET3 S3 SRC

CONSTRUCTION

Low-cut shoe with robust construction for optimum durability

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
JET3S3NO36	Black	36	JET3 S3 SRC	3295249242961	13295249242968	10	1	13.03 kg
JET3S3NO37	Black	37	JET3 S3 SRC	3295249243227	13295249243224	10	1	13.5 kg
JET3S3NO38	Black	38	JET3 S3 SRC	3295249243234	13295249243231	10	1	13.7 kg
JET3S3NO39	Black	39	JET3 S3 SRC	3295249243241	13295249243248	10	1	13.8 kg
JET3S3NO40	Black	40	JET3 S3 SRC	3295249243258	13295249243255	10	1	14.9 kg
JET3S3NO41	Black	41	JET3 S3 SRC	3295249243265	13295249243262	10	1	15.3 kg
JET3S3NO42	Black	42	JET3 S3 SRC	3295249243272	13295249243279	10	1	15.3 kg
JET3S3NO43	Black	43	JET3 S3 SRC	3295249243289	13295249243286	10	1	15.9 kg
JET3S3NO44	Black	44	JET3 S3 SRC	3295249243296	13295249243293	10	1	16.3 kg
JET3S3NO45	Black	45	JET3 S3 SRC	3295249243302	13295249243309	10	1	18.0 kg
JET3S3NO46	Black	46	JET3 S3 SRC	3295249243319	13295249243316	5	1	9.0 kg
JET3S3NO47	Black	47	JET3 S3 SRC	3295249243326	13295249243323	5	1	9.5 kg
JET3S3NO48	Black	48	JET3 S3 SRC	3295249243333	13295249243330	5	1	10.2 kg